

REMARKS

Claims 1-11 are pending in the application. Applicants have amended claims 1, 5, and 11, and added claims 14-19, leaving claims 1-5 and 8-19 for consideration upon entry of the present Amendment. The specification has been amended as described in detail below. No new matter has been introduced by these amendments.

The paragraph bridging pages 5 and 6 has been amended to correct the spelling of “quaternary”.

The paragraph on page 8, lines 12-24 has been amended to substitute - - as - - for “a” in two places and to substitute - - non-synchronous - - for “synchronous” in line 21, thereby making the description of “isolation ratio” consistent with the description of its measurement in the paragraph bridging pages 35 and 36 of the specification as filed.

The full paragraph on page 8 has been amended to correct a typographical error in the spelling of “isolated”.

The paragraph bridging pages 10-11 has been amended to correct misspellings of “microcrystalline” and “paraffin”.

The paragraph bridging pages 11 and 12 had been corrected to amend a typographical error in the tradenames.

The paragraph on page 15, lines 9-13 has been amended to correct the misspelling of “valeric”.

The paragraph bridging pages 20 and 21 has been amended to correct misspellings of “azoisobutyronitrile” and “can”.

Page 27, line 9 has been amended to reflect the deletion of examples from the specification.

Table 1 on pages 28-31 has been amended to delete duplicate headers. Table 1, on pages 29-31 of the Specification, has been amended to delete Examples 5 and 7-15. Likewise, Table 2, on page 38 of the Specification, has been amended to delete Examples 5 and 7-15.

KOT-0008-C
10/734,942

The paragraph bridging pages 33 and 34 has been amended to substitute a period for the comma occurring at page 33, line 22.

The first full paragraph on page 37 has been amended to reflect the deletion of examples from the specification.

Claim 1 has been amended to correct certain typographical errors and to more particularly claim the element. Support for this amendment can be found in the specification on page 5, second full paragraph. The definition of isolation ration can be found in the specification on page 8, the full paragraph. Claim 1 has also been amended to more clearly describe how the isolation ratio was determined. Support for the language may be found in the third full paragraph on page 35 and the paragraph bridging pages 35 and 36 of the Specification as filed.

Support for the amendment to claim 5 can be found in Example 16.

Support for the amendment to claim 11 can be found in the claims as filed.

Support for new Claims 12-15 may be found in the paragraph bridging pages 5 and 6 of the specification as filed.

Support for new claim 16 can be found on page 23, line 16 to page 24 line 4.

Support for new claim 17 can be found in the Specification on page 7, lines 6-10.

Support for new claim 18 can be found in the Specification on page 5, lines 1-11 and 21-25; page 11, lines 11-23; page 27, lines 10-17; page 8, the full paragraph; the third full paragraph on page 35; and the paragraph bridging pages 35 and 36.

Support for new claim 19 can be found in the Specification on page 5, lines 1-11 and 21-25; page 19, lines 5-10; page 12, lines 4-17; page 32, lines 1-16; page 8, the full paragraph; the third full paragraph on page 35; and the paragraph bridging pages 35 and 36.

No new matter has been added by these amendments.

In the event the Commissioner of Patents and Trademarks deems additional fees to be due in connection with this application, Applicants' attorney hereby authorizes that such fee be charged to Deposit Account No. 06-1130.

Respectfully submitted,

CANTOR COLBURN LLP

By: Karen A. LeCuyer
Karen A. LeCuyer, Ph.D.
Registration No. 51,928

Date: February 23, 2005
CANTOR COLBURN LLP
55 Griffin Road South
Bloomfield, CT 06002
Telephone (860) 286-2929
Facsimile (860) 286-0115
Customer No. 23413